## **COLORECTAL CANCER in IDAHO**

2023

3,351 cases

of malignant colorectal cancer were diagnosed among Idahoans during 2016-2020 Colorectal cancer rates are **40% higher** in Idaho communities with higher rates of poverty.

Colorectal cancer rates are **25% higher** among Black Idahoans than among white Idahoans.

## 1,318 deaths

from colorectal cancer among Idahoans during 2017-2021

Over 3,700


Idahoans alive on July 1, 2020 had a colorectal cancer diagnosis within the prior 10 years

## Let's beat colorectal cancer!

- 45-75 is the recommend age to receive colorectal cancer screenings. Healthcare provider recommendation is the primary motivator for Idahoans to get screened.
- Early detection saves lives! Colorectal cancer can be prevented or treated if found early.
- Choose the best screening method the one that gets done! Patients have several screening choices, including simple take-home options.

## Health Behavior

- 1 in 3 eligible Idahoans are <u>not</u> up to date on their colorectal cancer screening (2020 BRFSS)
- Idaho ranks 48th among U.S. states, the District of Columbia, and Puerto Rico for the proportion of adults aged 50-75 who are up to date on colorectal cancer screening (2020 BRFSS)



Of every 20
Idahoans
diagnosed with
colorectal cancer,
7 have died from
their cancer
within 5 years of
diagnosis

Rates of colorectal cancers have decreased 1.2% per year since 2000.

In Idaho, males die from colorectal cancer at 1.3 times the rate of females. Even among tumors
diagnosed at an early stage,
Hispanic
Idahoans have
~ 10% lower
5-year survival
post-diagnosis
than non-Hispanic
white Idahoans.





